

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 07039-214001	Application No. 09/853,867
<b>Information Disclosure Statement</b> by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant George G. Klee	
		Filing Date May 11, 2001	Group Art Unit <del>328</del> 1743

U.S. Patent Documents							
Examiner Initial	Desig. ID	Number	Issue Date	Patentee	Class	Subclass	Filing Date If Appropriate
	AA						

Foreign Patent Documents or Published Foreign Patent Applications								
Examiner Initial	Desig. ID	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation	
							Yes	No
	AB							

Other Documents (include Author, Title, Date, and Place of Publication)		
Examiner Initial	Desig. ID	Document
mw	AC	American Urological Association, "Early detection of prostate cancer," American Urological Association Policy Statements, Board of Directors, January 1992 - <a href="http://www.auanet.org/aboutaua/policy_statements">http://www.auanet.org/aboutaua/policy_statements</a>
mw	AD	Consensus Development Conference Panel, "Diagnosis and Management of Asymptomatic Primary Hyperparathyroidism: Consensus Development Conference Statement," <u>Ann. Intern. Med.</u> , 1991, 114(7):593-597
mw	AE	Department of Health and Human Services, Part II, "Medicare, Medicaid and CLIA Programs; Regulations Implementing the Clinical Laboratory Improvement Amendments of 1988 (CLIA)," <u>Federal Register</u> , Feb. 28, 1992, 57(40):7002-7186
mw	AF	Grundy, "National Cholesterol Education Program - Second Report of the Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel II)," <u>Circulation</u> , 1994, 89(3):1331-1363
mw	AG	Jacobsen et al., "Predictive Properties of Serum Prostate-Specific Antigen Testing in a Community-Based Setting," <u>Arch. Intern. Med.</u> , 1996, 156:2462-2468
mw	AH	Klee, "A conceptual model for establishing tolerance limits for analytic bias and imprecision based on variations in population test distributions," <u>Clin. Chim. Acta</u> , 1997, 260:175-188
mw	AI	Klee et al., "Analytic bias specifications based on the analysis of effects on performance of medical guidelines," <u>Scand. J. Clin. Lab. Invest.</u> , 1999, 59:509-512
mw	AJ	Mettlin et al., "Defining and Updating the American Cancer Society Guidelines for the Cancer-Related Checkup: Prostate and Endometrial Cancers," <u>CA Cancer J. Clin.</u> , 1993, 43:42-46
mw	AK	Smith and Kroft, "Optimal Procedures for Detecting Analytic Bias Using Patient Samples," <u>Am. J. Clin. Pathol.</u> , 1997, 108:254-268
mw	AL	Westgard et al., "Quality Management," <u>Tietz Textbook of Clinical Chemistry</u> , 1998, 3 <sup>rd</sup> Edition, Burtis et al. (eds.), W.B. Saunders Company, Philadelphia, Chapter 17, pp. 548-592

Examiner Signature <i>Maureen Wallenhorst</i>	Date Considered 8-27-03
EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

RECEIVED  
SEP -6 2001  
MAIL ROOM